

**OSHA'S HAZARD COMMUNICATION STANDARD
U.S. DEPARTMENT OF LABOR**

29 CFR 1910.1200

IDENTITY NO: SPS-STONESENTRY-W

OMB NO: 1218-0072

NAME: STONE SENTRY Water Based Impregnator Sealer

SECTION 1

MANUFACTURER'S/SHIPPER'S NAME: M3 TECHNOLOGIES, INC. / STONECARE CENTRAL

ADDRESS: 57 Lamberts Lane

PHONE: (781) 383-3134

CITY: Cohasset

STATE: MA 02025

CONTACT: CHAD SCHMIDT

DATE PREP: 01/01/10

EMERGENCY PHONE (CHEMTREC): (800) 424-9300

SECTION 2 - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

HAZARDOUS COMPONENTS CAS# OSHA PEL ACGIH TLV WEIGHT %

NONE

SECTION 3 - PHYSICAL/CHEMICAL CHARACTERISTICS

BOILING POINT: >212 F

SPECIFIC GRAVITY: 1.02

VAPOR PRESSURE: NOT TESTED

MELTING POINT: NOT TESTED

VAPOR DENSITY: NOT TESTED

EVAPORATION RATE: NOT TESTED

SOLUBILITY IN WATER: 100%

VOC CONTENT: <10 G/L

APPEARANCE AND ODOR: AMBER, BLAND ODOR

SECTION 4 - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT: NONE

FLAMMABLE LIMITS: NOT TESTED

LEL: NOT TESTED

UEL: NOT TESTED

pH: 4.0 - 5.5

DOT #: NONE

NFPA HAZARD RATING

H

F

R

S

(0=LEAST, 4=EXTREME)

0

0

0

0

EXTINGUISHING MEDIA: NONE

SPECIAL FIRE FIGHTING PROCEDURES: NONE

UNUSUAL FIRE AND EXPLOSION HAZARDS: NONE

SECTION 5 - REACTIVITY DATA

STABILITY: STABLE

CONDITIONS TO AVOID: NONE

INCOMPATIBLE MATERIALS TO AVOID: STRONG OXIDIZERS

HAZARDOUS DECOMPOSITION OR BYPRODUCTS: CO, CO2

HAZARDOUS POLYMERIZATION: NONE

SECTION 6 - HEALTH HAZARD DATA

41520 PAGE 2

ROUTES OF ENTRY

INHALATION: POSSIBLE **INGESTION:** POSSIBLE
SKIN: POSSIBLE **HEALTH HAZARDS:** SAME SIGNS & SYMPTOMS OF EXPOSURE
OSHA CARCINOGENICITY: NONE **NTP:** NONE
IARC MONOGRAPHS: NONE

SIGNS & SYMPTOMS OF OVER EXPOSURE

EYES: BURNING SENSATION **SKIN:** SLIGHT IRRITATION
INGESTION: NAUSEA **INHALATION:** NOT EXPECTED TO BE A PROBLEM

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:

SAME AS SIGNS AND SYMPTOMS OF OVER EXPOSURE.

EMERGENCY FIRST AID PROCEDURES:

EYES: FLUSH WITH WATER FOR 15 MINUTES. IF IRRITATION PERSISTS CALL PHYSICIAN.
SKIN: WASH WITH SOAP AND WATER, ESPECIALLY BETWEEN NAILS. IF IRRITATION PERSISTS CALL PHYSICIAN.
INGESTION: DRINK LARGE AMOUNTS OF WATER. CALL PHYSICIAN.
INHALATION: SEE ABOVE

SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE.

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

SOAK UP WITH INERT ABSORBENT MATERIAL AND PLACE IN A PROPER WASTE DISPOSAL CONTAINER.

WASTE DISPOSAL METHOD:

DISPOSE OF IN ACCORDANCE WITH STATE AND LOCAL REGULATIONS.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: STORE IN COOL, DRY PLACE OUT OF DIRECT SUNLIGHT. DO NOT STORE BELOW 32 F OR ABOVE 110 F.

OTHER PRECATIONS: KEEP OUT OF REACH OF CHILDREN. FOLLOW DIRECTIONS ON THE CONTAINER FOR PROER USE OF THIS PRODUCT.

SECTION 8 - CONTROL MEASURES

RESPIRATORY PROTECTION: OPEN ALL DOORS AND WINDOWS. EXPOSURES ABOVE THE TLV OR PEL REQUIRE A NIOSH APPROVED RESPIRATOR EQUIPPED FOR THE EXPOSURE OR SUITABLE RESPIRATORY PROTECTION PER 29 CFR 1910.134.

VENTILATION LOCAL EXHAUST: IF AVAILABLE SPECIAL: NONE
MECHANICAL: IF AVAILABLE OTHER: NONE

PROTECTIVE GLOVES: RUBBER, PLASTICS

EYE PROTECTION: GLASSES, GOGGLES

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: CHEMICAL RESISTANT CLOTHING

WORK HYGENIC PRACTICES: USE COMMON SENSE AND CARE AROUND CHEMICALS. NEVER MIX CHEMICALS. CONSULT YOUR SUPERVISOR FOR OTHER PRACTICES. ALL PRACTICES DEPEND ON YOUR SPECIFIC BUSINESS. DIRECTIONS FOR USE ARE NORMALLY FOUND ON LABEL WHICH WILL DICTATE ENGINEERING AND CONTROL MEASURES.

OTHER SPECIAL REQUIREMENTS: NONE