

1. Identification

Product Identifier	Majestic Deep Stone Cleaner	
Other means of identification	MAJC02008	
Product code		
Recommended use	Cleaning stripper and degreaser.	
Recommended restrictions	Professional use only.	
Manufacturer information		
Company name	M3 Technologies, Inc.	
Address	57 Lamberts Lane Cohasset, MA 02025	
Telephone	(800) 342-4533	
Emergency phone number	CHEMTREC	(800) 424-9300
	24-hour Emergency	(800) 424-9300

2. Hazard(s) Identification

Physical hazards	Not classified	
Health hazards	Skin corrosion	Category 1
	Serious eye damage	Category 1
Environmental hazards	Not classified.	
OSHA defined hazards	None.	
Label elements		



Signal word	DANGER
Hazard statement	Causes severe skin burns and eye damage.
Precautionary statement	
Prevention	Do not breathe dusts or mists. Wash hands and exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.
Response	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center/doctor/medical professional. Specific treatment (see supplemental first aid section on this label) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing.
Storage	Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None.
Supplemental information	None.

3. Composition/information on ingredients

Mixture Component(s)			
Chemical name	CAS number	Purpose	%
Water	7732-18-5	Solvent	75-90%
C9-11 Alcohols Ethoxylated	68439-46-3	Emulsifying Agent	5-15%
Hydrogen Peroxide	7722-84-1	Bleaching Agent	1-5%
d-Limonene	5989-27-5	Solvent	1-5%
Tetrasodium EDTA	64-02-8	Chelating Agent	0-1%
Stabilizer	Proprietary	Stabilizer	0-1%
Etidronic Acid	2809-21-4	Chelating Agent	0-1%
DMDM Hydantoin	6440-58-0	Preservative	0-1%
Sodium glycolate	2836-32-0	Buffering Agent	<0.1%
Trisodium NTA	5064-31-3	Chelating Agent	<0.1%
Sodium hydroxide	1310-73-2	pH Adjuster	<0.1%
Phosphonic Acid	13598-36-2	Processing Aid	<0.1%
Orange Dye	Proprietary	Colorant	<0.01%
Formaldehyde	50-00-0	Preservative	<0.01%

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and warm water for at least 15 minutes. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.
Eye contact	Rinse with water for at least 15 minutes. Remove contact lenses if present and easy to do so. Immediately call a physician or transport to hospital.
Ingestion	Rinse mouth. Get medical attention if symptoms occur. Do not induce vomiting.
Most important symptoms/effects, acute and delayed	Can cause serious eye damage. Can cause burning sensation in affected areas. Can cause dermatitis, rash. Hydrogen peroxide can temporarily turn the skin white with persistent contact.
Indication of immediate medical attention and special treatment needed	Provide general support measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse. Use with caution.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO ₂)
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protecting clothing must be worn in case of fire.
Fire-fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors or mists. Do not touch damaged containers or spilled materials unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

This product is miscible in water.

Large spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small spills: Wipe up with absorbent material (e.g. cloth, absorbent wipes). Clean surface thoroughly with dilute soap and water to remove residual contamination.

Never return spills to original container for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid release to the environment. Avoid discharge into surface drainage paths and other areas not consistent with package labeling.

7. Handling and storage

Precautions for safe handling

Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
Hydrogen Peroxide	PEL	1 ppm

US ACGIH Threshold Limit Values

Components	Type	Value
Hydrogen Peroxide	TWA	1 ppm

Biological limit values

ACGIH Biological Exposure Indices No data available.

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels to an acceptable level. It is recommended that users of this product perform a risk assessment to determine the appropriate personal protective equipment.

Individual protection measures, such as personal protective equipment

Eye/face protection

Avoid contact with eyes. Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection	The use of gloves impervious to the specific material handled is advised to prevent skin contact. Users should check with manufacturers to confirm the breakthrough performance of their products. Suggested protective materials: Nitrile and PVC rubber.
Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	When using do not smoke or use chewing tobacco. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance	
Physical State	Liquid
Color	Transparent Orange.
Odor	Citrus
Odor threshold	Not available
pH	4.5-6
Melting/freezing point	23°F (-5°C) estimated
Initial boiling point and boiling range	>212°F (>100°C)
Flash point	>392°F (>200°C)
Evaporation rate	Not available.
Flammability	Not available.
Flammability Limits	
Upper	Not available.
Lower	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Specific gravity (water=1)	1.01
Solubility in water	Complete.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.

10. Stability and reactivity

Reactivity	This product is stable and non-reactive under normal conditions of use.
Chemical stability	Material is stable under normal conditions. Store in a cool dark place.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Material decomposes with the potential to produce a rupture of unvented closed containers. Avoid storing in excessive heat or sunlight.
Incompatible materials	Metals, organic materials, strong reducing agents, strong bases.

Hazardous decomposition products No hazardous decomposition products occur. Oxygen can be liberated at temperatures above ambient.

11. Toxicological information

Information on likely routes of exposure

Ingestion Do not ingest. May be harmful if swallowed.
Inhalation Do not inhale. May irritate the upper respiratory tract.
Skin contact Can cause severe skin burns.
Eye contact Can cause serious eye damage.

Symptoms related to the physical, chemical and toxicological characteristics Severe skin burns, serious eye damage. Can temporarily turn skin white with prolonged contact.

Acute toxicity Expected to have low toxicity to humans.

Product Majestic Deep Stone Cleaner (CAS mixture)		
Exposure Classification	Route and Species	LD ₅₀
Acute	Oral, rat	5,072 mg/kg (estimated)
*Estimates for product may be based on additional component data not shown		

Skin corrosion/irritation Can cause severe skin burns.
Serious eye damage/ irritation Can cause serious eye damage.
Respiratory sensitization Not considered a respiratory sensitizer.
Skin sensitization Not considered a skin sensitizer.
Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity Not considered a carcinogen.
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not Listed.
Reproductive toxicity No data available.
Specific target organ toxicity – single exposure May irritate the upper respiratory tract with prolonged inhalation.
Specific target organ toxicity – repeated exposure No data available.
Aspiration hazard No data available.

12. Ecological information

Ecotoxicity		
Product Majestic Deep Stone Cleaner (CAS mixture)		
Aquatic Receptor	Species	Test Results
Crustacea	Daphnia magna (<i>water flea</i>)	EC ₅₀ = 25 mg/L (estimated)
Fish	Fathead minnow (<i>Pimephales promelas</i>)	LD ₅₀ = 60 mg/L (estimated)
*Estimates for product may be based on additional component data not shown		

Persistence and degradability Hydrogen peroxide in the aquatic environment is subject to various reduction or oxidation processes and decomposes into water and oxygen. Hydrogen peroxide half-life in freshwater ranges from 8 hours to 20 days, in air from 10 to 20 hours, and in soils from minutes to hours depending upon microbiological activity and metal contamination. Alcohol ethoxylate: considered readily biodegradable.

Bioaccumulative potential Expected to be low, will likely degrade before accumulation can occur.

Mobility in soil Will likely be mobile in the environment but will degrade over time. Chemicals of these classes are highly water soluble and will partition weakly to particles in low-clay soil

matrices. They are expected to exhibit moderate to high mobility in saturated and semi-saturated soils

Other adverse effects

None.

13. Disposal considerations

Disposal instructions

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste disposal company. As packaged, this product is not believed to meet criteria defining RCRA hazardous wastes when disposed. (40 CFR Part 261, Subpart C). Before selecting disposal method, ensure that the waste materials have been properly assessed and, as necessary, tested to confirm regulatory status.

Waste from residues/unused product

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner. (see: Disposal instructions).

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may contain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT Not regulated dangerous goods.

15. Regulatory information

US federal regulations

SARA 302 Extremely hazardous substance Not listed.

SARA 304 Emergency release notification Not listed.

SARA 311/312 Hazard Categories

Immediate Hazard - Yes

Delayed Hazard – No

Fire Hazard – No

Pressure Hazard – No

Reactivity Hazard – No

SARA 313 (TRI reporting) Not listed

California Proposition 65



WARNING: This product can expose you to chemicals including Formaldehyde, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

16. Other information, including date of preparation or last revision

Issue date 1/21/2021

SAFETY DATA SHEET

Revision date

Version #

1

HMIS® ratings

Health: 2
Flammability: 0
Physical hazard: 0

HEALTH	2
FLAMMABILITY	0
REACTIVITY	0
PERSONAL PROTECTION	<input type="checkbox"/>

NFPA ratings

Health: 2
Flammability: 0
Instability: 0



Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, and have been obtained from resources believed to be reliable. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information related only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified by the text.

Revision information

Update Composition information in compliance with updated standards.