

1. Identification

Product Identifier	Majestic Mildew Stain Remover	
Other means of identification		
Product code	MAJC11	
Recommended use	Mold and mildew stain remover.	
Recommended restrictions	Professional use only.	
Manufacturer/distributor/supplier/importer information		
Company name	M3 Technologies, Inc.	
Address	57 Lamberts Lane Cohasset, MA 02025	
Telephone	(800) 342-4533	
Emergency phone number	CHEMTREC	(800) 424-9300
	24-hour Emergency	(800) 424-9300

2. Hazard(s) Identification

Physical hazards	Not classified.	
Health hazards	Serious eye damage	Category 1
	Skin corrosion	Category 1
Environmental hazards	Not classified.	
OSHA defined hazards	None	
Label elements		



Signal word	DANGER	
Hazard statement	Causes severe skin burns and eye damage.	
Precautionary statement		
Prevention	Wash hands and exposed skin thoroughly after handling. Do not breathe dust or mists. Wear protective gloves/protective clothing/eye protection/face protection.	
Response	<p>IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.</p> <p>IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor/medical professional. Specific treatment (see section 4 on the Safety Data Sheet).</p> <p>IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p>	
Storage	Store locked up.	
Disposal	Dispose of contents/containers in accordance with local/regional/national/international regulations.	
Hazard(s) not otherwise classified (HNOC)	None.	
Supplemental information	None.	

3. Composition/information on ingredients

Mixture Component(s)			
Chemical name	CAS number	Purpose	%
Water	7732-18-5	Solvent	80-100%
Sodium Hypochlorite	7681-52-9	Bleaching Agent	1-5%
Amphoteric Surfactant	Proprietary	Surfactant	1-5%
C9-11 Alcohols Ethoxylated	68439-46-3	Emulsifying Agent	1-5%
Pentasodium Triphosphate	7758-29-4	Chelating Agent	1-5%
Sodium hydroxide	1310-73-2	pH Adjuster	0-1%
Fragrance	Proprietary	Fragrance Component	<0.1%
Tetrasodium Pyrophosphate	231-767-1	Buffering Agent	<0.1%
Sodium Trimetaphosphate	7785-84-4	pH Adjuster	<0.1%

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.
Eye contact	Rinse with water for at least 15 minutes. Remove contact lenses if present and easy to do so. Immediately call a physician or transport to hospital.
Ingestion	Rinse mouth. Get medical attention immediately. Do not induce vomiting.
Most important symptoms/effects, acute and delayed	Can cause serious eye damage. Can cause burning sensation in affected areas. Shortness of breath, respiratory tract irritation or damage. Sodium hydroxide is extremely destructive to tissues of the mucous membranes and upper respiratory tract, eyes, and skin.
Indication of immediate medical attention and special treatment needed	Provide general support measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse. Use with extreme caution.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO ₂).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protecting clothing must be worn in case of fire.
Fire-fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors or mists. Do not touch damaged containers or spilled materials unless wearing appropriate protective clothing. Ensure adequate ventilation. Local
--	--

Methods and materials for containment and cleaning up

authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

This product is miscible in water.

Large spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small spills: Wipe up with absorbent material (e.g. cloth, absorbent wipes). Clean surface thoroughly with water to remove residual contamination.

Never return spills to original container for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into surface drainage paths and other areas not consistent with package labeling.

7. Handling and storage

Precautions for safe handling

Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
Sodium hydroxide	PEL	2 mg/m ³

US ACGIH Threshold Limit Values

Components	Type	Value
Sodium hydroxide	STEL	2 mg/m ³

Biological limit values

No information.

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels to an acceptable level. It is recommended that users of this product perform a risk assessment to determine the appropriate personal protective equipment.

Individual protection measures, such as personal protective equipment

Eye/face protection

Avoid contact with eyes. Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection

The use of gloves impervious to the specific material handled is advised to prevent skin contact. Users should check with manufacturers to confirm the breakthrough performance of their products. Suggested protective materials: Nitrile and PVC rubber.

Other

Wear appropriate chemical resistant clothing. Depending on exposure and use conditions, additional protection may be necessary to prevent skin contact including use of items such as chemical-resistant boots, aprons, arm covers, hoods, coveralls,

Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment. Respiratory protection not required for prescribed use of this product.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	When using do not smoke or use chewing tobacco. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance	
Physical State	Clear to cloudy liquid.
Color	Light amber.
Odor	Chlorine.
Odor threshold	Not available.
pH	11-12
Melting/freezing point	20°F(-7°C)
Initial boiling point and boiling range	<230°F(<110°C)
Flash point	Not available.
Evaporation rate	Not available.
Flammability	Not available.
Flammability Limits	
Upper	Not available.
Lower	Not available.
Vapor pressure	Not available
Vapor density	Not available.
Specific gravity (water=1)	1.09
Solubility in water	Soluble.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.

10. Stability and reactivity

Reactivity	Reacts violently with strong acids. This product may react with oxidizing agents.
Chemical stability	Material is stable under normal conditions. Store in a cool dark place.
Possibility of hazardous reactions	Reacts violently with strong acids. This product may react with oxidizing agents. Hazardous polymerization does not occur.
Conditions to avoid	Avoid storage in elevated temperatures. Keep away from heat, sparks, and open flame. Do not mix with other chemicals.
Incompatible materials	Acids, oxidizing agents, bases, alkalis (organic)
Hazardous decomposition products	Chlorine, hydrogen chloride. In case of fire see section 5.

11. Toxicological information

Information on likely routes of exposure	
Ingestion	Do not ingest. Causes digestive tract burns.

Inhalation	Prolonged inhalation may be harmful. May cause irritation to the respiratory system.
Skin contact	Can cause severe skin burns.
Eye contact	Can cause serious eye damage.
Symptoms related to the physical, chemical and toxicological characteristics	Burning sensation, coughing, wheezing, and shortness of breath. Sodium hydroxide is extremely destructive to mucous membranes, eyes, and skin.
Acute toxicity	Not classified.

Product Mildew Stain Remover (CAS mixture)		
Exposure Classification	Route and Species	LD ₅₀
Acute	Oral, rat	>5,000 mg/kg estimated
*Estimates for product may be based on additional component data not shown		

Skin corrosion/irritation	Can cause severe skin burns.
Serious eye damage/ irritation	Can cause serious eye damage.
Respiratory sensitization	Not considered a respiratory sensitizer.
Skin sensitization	Not considered a skin sensitizer.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	Not considered a carcinogen.
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)	Not Listed.
Reproductive toxicity	No data available.
Specific target organ toxicity – single exposure	No data available.
Specific target organ toxicity – repeated exposure	No data available.
Aspiration hazard	No data available.

12. Ecological information

Ecotoxicity		
Product Mildew Stain Remover (CAS mixture)		
Aquatic Receptor	Species	Test Thresholds
Fish	(Unspecified)	LC ₅₀ = 1.42 mg/L (estimated)
Crustacea	Daphnia Magna	EC ₅₀ = 2.4 mg/L (estimated)
*Estimates for product may be based on additional component data not shown		
<i>Specific toxicity threshold cannot be derived as the potential effects are highly dependent upon the pH of the receiving water and its buffer capacity highly variable.</i>		

Persistence and degradability	No data available. The described classes of chemicals are readily degraded and will not be persistent in an open environment
Bioaccumulative potential	Accumulation in aquatic organisms is expected.
Partition coefficient n-octanol/water (log K_{ow})	No data available.
Mobility in soil	No data available. Chemicals of these classes are highly water soluble and will readily dissociate and partition weakly to particles in low-clay soil matrices. They are expected to exhibit moderate to high mobility in saturated and semi-saturated soils
Other adverse effects	Very toxic to aquatic life with long lasting effects.

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.

Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company. As packaged, this product is not believed to meet criteria defining RCRA hazardous wastes when disposed. (40 CFR Part 261, Subpart C). Before selecting disposal method, ensure that the waste materials have been properly assessed and, as necessary, tested to confirm regulatory status.
Waste from residues/unused product	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner. (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may contain product residue, follow label warnings even after container is emptied.

14. Transport information

USDOT

UN number	UN3266
UN proper shipping name	Corrosive liquid, basic, inorganic n.o.s (Contains sodium hypochlorite, sodium hydroxide)
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Packaging group	III
Marine pollutant	No
Special precautions for user	Read safety instructions, SDS, and emergency procedures before handling.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not intended to be transported in bulk.
DOT Label/Placard	



15. Regulatory information

US federal regulations

SARA 302 Extremely hazardous substance	Not listed.
SARA 304 Emergency release notification	Not listed
SARA 311/312 Hazard Categories	
Immediate Hazard - Yes	
Delayed Hazard – No	
Fire Hazard – No	
Pressure Hazard – No	
Reactivity Hazard – No	
SARA 313 (TRI reporting)	Not listed.

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986

This product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California Proposition 65 at levels which would be subject to threshold determination and Safe Harbor notification (1/2019)

16. Other information, including date of preparation or last revision

Issue date 3/9/2015
 Revision date 11/9/2020
 Version # 4
 HMIS® ratings Health: 2
 Flammability: 0
 Physical hazard: 1

HEALTH	2
FLAMMABILITY	0
REACTIVITY	1
PERSONAL PROTECTION	<input type="checkbox"/>

NFPA ratings Health: 2
 Flammability: 0
 Instability: 1



Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge, and have been obtained from resources believed to be reliable. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information related only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified by the text.

Revision information Update Composition information in compliance with updated standards.